

191109-PD-10a Tree Schedule

191109 - 179 Lambourne Road

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T1	1 Fraxinus excelsior (Ash)	12.0	54 COM	2	3.0		2.0		2.5		2.5		4.0	3 W	Mature	Structural condition Poor. Physiological condition Fair. Access to inspect base - Not possible. Base / stems obscured - Structure. Base / stems obscured - Vegetation. Competition - Adjacent trees. Crown reduction - Recent. Form - Poor crown structure. Ivy or climbing plant. Unbalanced crown - Minor. Off-Site. Access not available to inspect.	09/12/2021	132.3	6.5	10-20	C2
Climber C2	1 Fraxinus excelsior (Ash)	16.0	30	1		6.0		2.5		1.0		2.0	7.0		Mature	Structural condition Poor. Physiological condition Fair. Access to inspect base - Not possible. Competition - Adjacent trees. Crown reduction - Recent. Form - Poor crown structure. Unbalanced crown - Minor. Off-Site. Access not available to inspect.	09/12/2021	40.7	3.6	10-20	C2
Tree T3	1 Fraxinus excelsior (Ash)	14.0	35	1	1.5		1.5		1.5		1.5		7.0		Mature	Structural condition Poor. Physiological condition Fair. Access to inspect base - Not possible. Competition - Adjacent trees. Crown reduction - Recent. Form - Poor crown structure. Unbalanced crown - Minor. Off-Site. Access not available to inspect.	09/12/2021	55.4	4.2	10-20	C2
Tree T4	1 Fraxinus excelsior (Ash)	14.0	53 COM	2		3.0		5.0		4.5		2.0	2.0	6.5 SW	Mature	Structural condition Poor. Physiological condition Fair. Access to inspect base - Not possible. Competition - Adjacent trees. Crown reduction - Recent. Form - Poor crown structure. Unbalanced crown - Minor. Off-Site. Access not available to inspect.	09/12/2021	127.8	6.4	10-20	C2
Group G5	10 x Cupressocyparis leylandii (Leyland Cypress)	6.5	20 AVE										2.0		Early Mature	Structural condition Fair. Physiological condition Good. Access to inspect base - Not possible. Base / stems obscured - Structure. Off-Site. Access not available to inspect. Dimensions indicative. Position estimated - no topographical survey information	09/12/2021			10-20	C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By

191109 - 179 Lambourne Road

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Group G6	10 x Cupressocyparis leylandii (Leyland Cypress)	6.5	20 AVE										2.0		Early Mature	Structural condition Fair. Physiological condition Good. Access to inspect base - Not possible. Base / stems obscured - Structure. Off-Site. Access not available to inspect. Dimensions indicative. Position estimated - no topographical survey information	09/12/2021			10-20	C2
Group G7	30 x Cupressocyparis leylandii (Leyland Cypress)	8.5	20 AVE										2.0		Early Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Not possible. Arboricultural work - Recent. Base / stems obscured - Structure. Pruned laterally back to approximately the Site boundary. Off-Site. Access not available to inspect. Dimensions indicative. Position estimated - no topographical survey information	09/12/2021			10-20	C2
Hedge H8	15 Ligustrum ovalifolium (Privet/Garden Privet)	2.5	10 AVE										0.0		Early Mature	Structural condition Fair. Physiological condition Good. Hedgerow - Maintained. Dimensions estimated. Numbers indicative of group. Position estimated - no topographical survey information.	09/12/2021			10-20	C2
Hedge H9	1 Fraxinus excelsior (Ash) 15 x Cupressocyparis leylandii (Leyland Cypress)	6.0	20 AVE										2.0		Early Mature	Structural condition Fair. Physiological condition Good. Access to inspect base - Not possible. Arboricultural work - Recent. Base / stems obscured - Structure. Off-Site. Access not available to inspect. Dimensions indicative. Position estimated - no topographical survey information	09/12/2021			10-20	C2
Tree T10	1 Fraxinus excelsior (Ash)	4.0	23 COM	2	1.5		1.5		1.5		1.5		2.0		Semi Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Not possible. Base / stems obscured - Structure. Crown reduction - Recent. Poor past pruning. Off-Site. Access not available to inspect. Position estimated - no topographical survey information.	09/12/2021	24.8	2.8	10-20	C2
Tree T11	1 Salix sp. (Willow sp.)	7.0	20	1		3.0		4.0		2.5		2.5	1.0		Early Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Multi-stemmed.	09/12/2021	18.1	2.4	10-20	C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191109 - 179 Lambourne Road

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
Tree T12	1 Salix sp. (Willow sp.)	3.5	21 COM	2	N	NE	E	SE	S	SW	W	NW	1.5		Early Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Recent. Decay / structural defect - Bole. Fork - Weak with included bark. Off-Site. Access not available to inspect. Position estimated - no topographical survey information.	09/12/2021	20.7	2.6	10-20	C2
Group G13		3.0											0.0		Semi Mature	Structural condition Fair. Physiological condition Good. Shrub border. Various genera including but not limited to Choicya, Ilex, and Rhododendron. Dimensions estimated. Numbers indicative of group. Position estimated - no topographical survey information.	09/12/2021			10-20	C2
Group G14		2.0											0.0		Semi Mature	Structural condition Fair. Physiological condition Good. Shrub border. Various genera including but not limited to Choicya, Cupressus, Ilex, Pyracantha, and Rhododendron. Dimensions estimated. Numbers indicative of group. Position estimated - no topographical survey information.	09/12/2021			10-20	C2
Tree T15	1 Fraxinus excelsior (Ash)	7.5	10	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2.0		Young	Structural condition Fair. Physiological condition Fair. Access to inspect base - Not possible. Base / stems obscured - Structure. Form - Poor crown structure. Off-Site. Access not available to inspect. Position estimated - no topographical survey information.	09/12/2021	4.5	1.2	10-20	C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Category and definition	Criteria (including subcategories where appropriate)			Identification on plan
Trees unsuitable for retention (see note)				
Category U Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years	<ul style="list-style-type: none">* Trees that have a serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees (e.g. where, for whatever reason, the loss of companion shelter cannot be mitigated by pruning)* Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline* Trees infected with pathogens of significance to health and/or safety of other trees nearby, or very low quality trees suppressing adjacent trees of better quality NOTE Category U trees can have existing or potential conservation value which it might be desirable to preserve; see 4.5.7			RED
	1 Mainly arboricultural qualities	2 Mainly landscape qualities	3 Mainly cultural values, including conservation	
Trees to be considered for retention				
Category A Trees of high quality with an estimated remaining life expectancy of at least 40 years	Tree that are particularly good examples of their species, especially if rare or unusual; or those that are essential components of groups or formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue).	Trees, groups or woodlands of particular visual importance as arboricultural and/or landscape features.	Trees, groups or woodlands of significant conservation, historical, commemorative or other value (e.g. veteran trees or wood-pasture).	GREEN
Category B Trees of moderate quality with an estimated remaining life expectancy of at least 20 years	Trees that might be included in category A, but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation.	Trees present in numbers, usually growing as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality.	Trees with material conservation or other cultural value.	BLUE
Category C Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150 mm	Unremarkable trees of very limited merit or such impaired condition that they do not qualify in higher categories.	Trees present in groups or woodlands, but without this conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape benefits.	Trees with no material conservation or other cultural value.	GREY