



STEELWORK - NHBC 6.4 - S8




NOTCHING AND DRILLING - NHBC 6.4 - S9




WHERE JOISTS ARE PARRALLEL TO WALL PROVIDE STRAPS $30 \times 5 \times 1500$ MM OVER 3 JOISTS 2 M APART AND NOTCHED INTO JOISTS WITH SUPPORTING NOGGINS 150MM DEEP

RESTRAINT STRAPPING - NHBC 6.4 - S10



CHIPBOARD FLOORING -NHBC 6.4 - S18



WHERE JOISTS CONTINUE OVER BLOCK / BRICK PARTITIONS CONTINUE GROUND FLOOR PARTITION TO WITHIN 25 MM OF UNDERSIDE OF DECKING

PARTITION WALLS AND FLOOR ABUTMENTS

LONS DATE AUTHORETY AMENDMENT ALTERED BY DECKED BY

CHIGWELL IG7 6NF,

DETAILS - 03

DRAWING TITLE

REF. NO. 17HE-STR07

SCALE DRAWN BY
1:100@A3 A.G

TMG CONSULTANCIES
9 HAZLEWOOD CLOSE,
LONDON E5 0SW
INFO@TMGCONSULTANCIES.CO.UK
TEL: 07716178378

NULES:

THE CONTRACTORS ARE TO CHECK ALL DIMENSIONS, DRAIN RUNS AND GENERAL CONDITIONS ON SITE BEFORE WORKS COMMENCE, AND INFORM TIME CONSULTIONS ON SITE BEFORE WORKS COMMENCE, AND INFORM TIME CONSULTIONS OF DISCREPANCES.

OMISSIONS OR DISCREPANCIES.

ALL WORKS ARE TO BE CARRIED OUT IN ACCORDANCE WITH CURRENT BUILDING REGULATIONS, BRITIST STANDARDS, CODE OF PRACTICE AND LOCAL AUTHORITY REQUIREMENTS, DO NOT SCALE FROM THIS DRAWING WITHOUT FIRST DETAINING WRITTEN AUTHORISATION FROM TIME CONSULTANCIES LTD.