



Detailed Unexploded Ordnance (UXO) Risk Assessment

Project Name	Whitehalls Road	
Client	ECD Architects	
Site Address	Whitehills Road, Loughton IG10 1TS	
Report Reference DA9020-00		
Date	14/09/19	
Originator	AB	

























Executive Summary

Site Location and Description

The site is situated in Loughton, within the Epping Forest District of Essex. It is currently occupied by an enclosed area of open hard standing and a number of single storied garages. It is bordered by residential housing and associated garden areas to both the north and west, with the east bounded by Whitehills Road. Oak View School is situated to the south of site, whilst Church Lane is situated further to the north of the site, beyond the residential housing.

The site is approximately centred on the OS grid reference: TQ 4309296550

Proposed Works

The scope of the proposed works are understood to include the demolition of the existing garages and the development of two residential units with rear garden areas, vehicle access, landscaping and five car parking spaces.

Geology and Bomb Penetration Depth

The British Geological Survey (BGS) map shows the site to be underlain by the London Clay Formation - Clay, Silt And Sand, of the Paleogene Period. The superficial deposits are recorded to be Lowestoft Formation – Diamicton, formed up to 2 million years ago in the Quaternary Period.

Site-specific geotechnical information was not available to 1st Line Defence at the time of the production of this report. An assessment of maximum bomb penetration depth can be made once such data becomes available, or by a UXO specialist during on-site support. It should be noted that the maximum depth that a bomb could reach may vary across a site and will be largely dependent on the specific underlying geological strata and its density.

UXO Risk Assessment

1st Line Defence has assessed that there is a **Medium Risk** from items of German aerial delivered UXO and anti-aircraft UXO across the site. This assessment is based on the following factors:

- During WWII, the site was situated within the Urban District of Chigwell, which sustained an overall moderate-high density of bombing, with an average of 88.3 items of ordnance recorded per 1,000 acres.
- No bombing incidents are recorded directly within the site boundary. However, both London Bomb Census mapping and the Group 7 War Diary for the area indicate that a large cluster of bombing incidents fell surrounding Trapps Hill on the 19th April 1944. These bomb strikes are plotted approximately 75m north-east of the site, in close proximity to Border's Farm and were large calibre; comprising both 250kg and 1000kg HE bombs.
- Given the site was situated immediately adjacent to a farm during wartime, named Border's Farm, it would normally
 be considered likely that the site would have a degree of regular observation and that evidence of UXO would
 subsequently have been more likely to have been noted and recorded. However, in this instance evidence has been
 found to suggest that the farm was significantly affected by the aforementioned bombing in the vicinity and that
 access may have been subsequently disrupted.
- WWII-era aerial imagery dated 1947 shows substantial composition change and clearance to several of the Border's Farm buildings in the immediate site vicinity, which are previously depicted on 1940 OS mapping. In particular, the northern section of the farm, to the immediate south-east of the site, appears to have been largely demolished with only a chimney remaining standing. Whilst sheds to the south of the site are no longer present.
- Whilst it is not possible to confirm that these changes were explicitly the result of bombing, as no specific reference
 to the farm could be found within written records, it is considered likely considering the number of large calibre
 bomb strikes plotted in the immediate vicinity. When the proximity of this potential damage near the site is taken
 into consideration, alongside the concentration of bomb strikes in the locality, there is considered to be an elevated
 risk that an item of UXO could have fallen on-site unrecorded.
- There is no evidence that the site formerly had any military occupation or usage that could have led to contamination with items of Allied ordnance, such as LSA and SAA. The conditions in which HAA or LAA projectiles may have fallen unnoticed within the site boundary are however analogous to those regarding aerial delivered ordnance.
- No substantial post-war development appears to have occurred on site. The development of the existing hard standing and garage structures on-site is anticipated to have required relatively shallow excavation works. The risk of UXO remaining is only considered to be substantially mitigated at the location of and down to the depths of postwar foundation and excavation works.



Recommended Risk Mitigation Measures

The following risk mitigation measures are recommended to support the proposed works at the Whitehills Road site:

All Works

- UXO Risk Management Plan
- Site Specific UXO Awareness Briefings to all personnel conducting intrusive works.

Open Intrusive Works (trial pits, service pits, open excavations, shallow foundations etc.)

• UXO Specialist On-site Support

Boreholes and Piled Foundations

• Intrusive Magnetometer Survey of all borehole and pile locations/clusters down to maximum bomb penetration depth.



Glossary

Abbreviation	Definition	
AA	Anti-Aircraft	
AFS	Auxiliary Fire Service	
AP	Anti-Personnel	
ARP	Air Raid Precautions	
DA	Air Raid Precautions Delay-action	
EOC	Delay-action Explosive Ordnance Clearance	
EOD	Explosive Ordnance Disposal	
FP	Fire Pot	
GM	G Mine (Parachute mine)	
HAA	Heavy Anti-Aircraft	
HE	High Explosive	
IB	Incendiary Bomb	
JSEODOC	Joint Services Explosive Ordnance Disposal Operation	
	Centre	
LAA	Light Anti-Aircraft	
LCC	London County Council	
LRRB	Long Range Rocket Bomb (V-2)	
LSA	Land Service Ammunition	
NFF	National Filling Factory	
ОВ	Oil Bomb	
PAC	Pilotless Aircraft (V-1)	
РВ	Phosphorous Bomb	
PM	Parachute Mine	
POW	Prisoner Of War	
RAF	Royal Air Force	
RCAF	Royal Canadian Air Force	
RFC	Royal Flying Corps	
RNAS	Royal Naval Air Service	
ROF	Royal Ordnance Factory	
SA	Small Arms	
SAA	Small Arms Ammunition	
SD2	Anti-personnel "Butterfly Bomb"	
SIP	Self-Igniting Phosphorous	
U/C	Unclassified bomb	
UP	Unrotated Projectile (rocket)	
USAAF	United States Army Air Force	
UX	Unexploded	
UXAA	Unexploded Anti-Aircraft	
UXB	Unexploded Bomb	
UXO	Unexploded Ordnance	
V-1	Flying Bomb (Doodlebug)	
V-2	Long Range Rocket	
WAAF	Women's Auxiliary Air Force	
Х	Exploded	



Contents

Execu	utive Sur	nmary	. II
Gloss	ary		IV
Cont	ents		. v
Anne	xes		۷II
1.		Introduction	. 1
	1.1.	Background	. 1
2.		Method Statement	. 2
	2.1.	Report Objectives	. 2
	2.2.	Risk Assessment Process	. 2
	2.3.	Sources of Information	. 2
3.		Background to Bombing Records	. 3
	3.1.	General Considerations of Historical Research	. 3
	3.2.	German Bombing Records	. 3
	<i>3.3.</i>	Allied Records	. 3
4.		UK Regulatory Environment and Guidelines	. 4
	4.1.	General	. 4
	4.2.	CDM Regulations 2015	. 4
	4.3.	The 1974 Health and Safety at Work etc. Act	. 4
	4.4.	CIRIA C681	. 5
	4.5.	Additional Legislation	. 5
5.		The Role of Commercial UXO Contractors and The Authorities	
	5.1.	Commercial UXO Specialists	. 5
	5.2.	The Authorities	. 6
6.		The Site	
	6.1.	Site Location	. 6
	6.2.	Site Description	
7.		Scope of the Proposed Works	. 6
	7.1.	General	
8.		Ground Conditions	. 7
	8.1.	General Geology	
	8.2.	Site Specific Geology	
9.		Site History	
	9.1.	Introduction	
	9.2.	Ordnance Survey Historical Maps	
10.		Introduction to German Aerial Delivered Ordnance	
	10.1.	General	
	10.2.	Generic Types of WWII German Aerial Delivered Ordnance	
	10.3.	Failure Rate of German Aerial Delivered Ordnance	
	10.4.	UXB Ground Penetration	
	10.4.1.	The J-Curve Effect	
	10.4.2.	WWII UXB Ground Penetration Studies	
	10.4.3.	Site Specific Bomb Penetration Considerations	
	10.5.	V-Weapons	10



11.		The Likelihood of Contamination from German Aerial Delivered UXBs	10
	11.1.	World War I	10
	11.2.	World War II Bombing of the Urban District of Chigwell	11
	11.3.	WWII Home Office Bombing Statistics	11
	11.4.	London Civil Defence Region Bomb Census Maps	12
	11.5.	London Group 7 War Diary	12
	11.6.	London Group 7: UXB register	13
	<i>11.7.</i>	Chigwell Incident Records	13
	11.8.	WWII-Era Aerial Photography	13
	11.9.	Abandoned Bombs	14
	11.10.	Bomb Disposal Tasks	14
	11.11.	Evaluation of German Aerial Delivered UXO Records	14
12.		Introduction to Allied Explosive Ordnance	16
	12.1.	General	16
	12.2.	Defending the UK From Aerial Attack	16
	12.2.1.	Anti-Aircraft Artillery (AAA)	16
13.		The Likelihood of Contamination from Allied Ordnance	17
	13.1.	Introduction	17
	13.2.	Military History of the Site of Proposed Works	17
	13.3.	Evaluation of Contamination Risk from Allied UXO	18
14.		The Likelihood of UXO Contamination Summary	19
15.		The Likelihood that UXO Remains	20
	15.1.	Introduction	20
	15.2.	UXO Clearance	20
	15.3.	Post-war Redevelopment	20
16.		The Likelihood of UXO Encounter	20
	16.1.	Introduction	20
	16.2.	Encountering Aerial Delivered Ordnance	21
17.		The Likelihood of UXO Initiation	21
	17.1.	Introduction	21
	17.2.	Initiating Aerial Delivered Ordnance	21
18.		Consequences of Initiation/Encounter	22
	18.1.	Introduction	22
	18.2.	Consequences of Detonation	22
19.		1st Line Defence Risk Assessment	23
	19.2.	Assessed Risk Level	23
20.		Proposed Risk Mitigation Methodology	24
	20.1.	General	24
Ribli	ogranhy		25



Annexes

List of Report Annexes		
Annex A	Site Location Maps	
Annex B	Recent Aerial Photography	
Annex C	Client Provided Site Plan	
Annex D	Pre and Post-WWII Historical Maps	
Annex E	Example of UXO Entry Holes	
Annex F	Examples of German Aerial Delivered Ordnance	
Annex G	Examples of UXO Incidents	
Annex H	London WWI Bomb Plot Map	
Annex I	Luftwaffe Reconnaissance Imagery	
Annex J	London WWII Bomb Density Map	
Annex K	London Civil Defence Region ARP Bomb Census Mapping	
Annex L	London Civil Defence Region V-1 Flying Bomb Map	
Annex M	London Group 7 War Diary	
Annex N	1947 RAF Aerial Photography of the Site	
Annex O	Examples of Anti-Aircraft Projectiles	



1st Line Defence Limited Detailed Unexploded Ordnance (UXO) Risk Assessment

Site: Whitehills Road Client: ECD Architects

1. Introduction

1.1. Background

1st Line Defence has been commissioned by ECD Architects to conduct a Detailed Unexploded Ordnance (UXO) Risk Assessment for the proposed works at the proposed Whitehills Road site.

Buried UXO can present a significant risk to construction works and development projects. The discovery of a suspect device during works can cause considerable disruption to operations as well as cause unwanted delays and expense.

UXO in the UK can originate from three principal sources:

- 1. Munitions resulting from wartime activities including German bombing in WWI and WWII, long range shelling, and defensive activities.
- 2. Munitions deposited as a result of military training and exercises.
- 3. Munitions lost, burnt, buried or otherwise discarded either deliberately, accidentally, or ineffectively.

This report will assess the potential factors that may contribute to the risk of UXO contamination. If an elevated risk is identified at the site, this report will recommend appropriate mitigation measures, in order to reduce the risk to as low as is reasonably practicable. Detailed analysis and evidence will be provided to ensure an understanding of the basis for the assessed risk level and any recommendations.

This report complies with the guidelines outlined in *CIRIA C681*, 'Unexploded Ordnance (UXO) A Guide for the Construction Industry.'

1



2. Method Statement

2.1. Report Objectives

The aim of this report is to conduct a comprehensive assessment of the potential risk from UXO at Whitehills Road. The report will also recommend appropriate site and work-specific risk mitigation measures to reduce the risk from explosive ordnance during the envisaged works to a level that is as low as reasonably practicable.

2.2. Risk Assessment Process

1st Line Defence has undertaken a five-step process for assessing the risk of UXO contamination:

- 1. The likelihood that the site was contaminated with UXO.
- 2. The likelihood that UXO remains on the site.
- 3. The likelihood that UXO may be encountered during the proposed works.
- 4. The likelihood that UXO may be initiated.
- 5. The consequences of initiating or encountering UXO.

In order to address the above, 1st Line Defence has taken into consideration the following factors:

- Evidence of WWI and WWII German aerial delivered bombing as well as the legacy of Allied occupation.
- The nature and conditions of the site during WWII.
- The extent of post-war development and UXO clearance operations on site.
- The scope and nature of the proposed works and the maximum assessed bomb penetration depth.
- The nature of ordnance that may have contaminated the proposed site area.

2.3. Sources of Information

Every reasonable effort has been made to ensure that relevant evidence has been consulted and presented in order to produce a thorough and comprehensible report for the client. To achieve this the following, which includes military records and archive material held in the public domain, have been accessed:

- The National Archives and Essex Record Office.
- Historical mapping datasets.
- Historic England National Monuments Record.
- Relevant information supplied by ECD Architects.
- Available material from 33 Engineer Regiment (EOD) Archive (now 28 Regt).
- 1st Line Defence's extensive historical archives, library and UXO geo-datasets.
- Open sources such as published books and internet resources.

Research involved a visit to The National Archives and Essex Record Office.



3. Background to Bombing Records

3.1. General Considerations of Historical Research

This desktop assessment is based largely upon analysis of historical evidence. Every reasonable effort has been made to locate and present significant and pertinent information. 1st Line Defence cannot be held accountable for any changes to the assessed risk level or risk mitigation measures, based on documentation or other data that may come to light at a later date, or which was not available to 1st Line Defence during the production of this report.

It is often problematic and sometimes impossible to verify the completeness and accuracy of WWIIera records. As a consequence, conclusions as to the exact location and nature of a UXO risk can rarely be quantified and are to a degree subjective. To counter this, a range of sources have been consulted, presented and analysed. The same methodology is applied to each report during the risk assessment process. 1st Line Defence cannot be held responsible for any inaccuracies or the incompleteness in available historical information.

3.2. German Bombing Records

During WWII, bombing records were generally gathered locally by the police, Air Raid Precaution (ARP) wardens and military personnel. These records typically contained information such as the date, the location, the amount of damage caused and the types of bombs that had fallen during an air raid. This information was made either through direct observation or post-raid surveys. The Ministry of Home Security Bomb Census Organisation would then receive this information, which was plotted onto maps, charts, and tracing sheets by regional technical officers. The collective record set (regional bomb census mapping and locally gathered incidents records) would then be processed and summarised into reports by the Ministry of Home Security Research and Experiments Branch. The latter were tasked with providing the government 'a complete picture of air raid patterns, types of weapons used and damage caused- in particular to strategic services and installations such as railways, shipyards, factories and public utilities.' ¹

The quality, detail and nature of record keeping could vary considerably between provincial towns, boroughs and cities. No two areas identically collated or recorded data. While some local authorities maintained records with a methodical approach, sources in certain areas can be considerably more vague, dispersed, and narrower in scope. In addition, the immediate priority was mostly focused on assisting casualties and minimising damage at the time. As a result, some records can be incomplete and contradictory. Furthermore, many records were even damaged or destroyed in subsequent air raids. Records of raids that took place on sparsely or uninhabited areas were often based upon third party or hearsay information and are therefore not always reliable. Whereas records of attacks on military or strategic targets were often maintained separately and have not always survived.

3.3. Allied Records

During WWII considerable areas of land were requisitioned by the War Office for the purpose of defence, training, munitions production and the construction of airfields. Records relating to military features vary and some may remain censored. Within urban environments datasets will be consulted detailing the location of munition production as well as wartime air and land defences. In rural locations it may be possible to obtain plans of military establishments, such as airfields, as well as training logs, record books, plans and personal memoirs. As with bombing records, every reasonable effort will be made to access records of, and ascertain any evidence of, military land use. However, there are occasions where such evidence is not available, as records may not be accessible, have been lost/destroyed, or simply were not kept in the first place.

 $^{^{1}}$ http://www.nationalarchives.gov.uk/help-with-your-research/research-guides/bomb-census-survey-records-1940-1945/.





4. UK Regulatory Environment and Guidelines

4.1. General

There is no formal obligation requiring a UXO risk assessment to be undertaken for construction projects in the UK, nor is there any specific legislation stipulating the management or mitigation of UXO risk. However, it is implicit in the legislation outlined below that those responsible for intrusive works (archaeology, site investigation, drilling, piling, excavation etc.) should undertake a comprehensive and robust assessment of the potential risks to employees and that mitigation measures are implemented to address any identified hazards.

4.2. CDM Regulations 2015

The Construction (Design and Management) Regulations 2015 (CDM 2015) define the responsibilities of parties involved in the construction of temporary or permanent structures.

The CDM 2015 establishes a duty of care extending from clients, principle co-ordinators, designers, and contractors to those working on, or affected by, a project. Those responsible for construction projects may therefore be accountable for the personal or proprietary loss of third parties, if correct health and safety procedure has not been applied.

Although the CDM does not specifically reference UXO, the risk presented by such items is both within the scope and purpose of the legislation. It is therefore implied that there is an obligation on parties to:

- Provide an appropriate assessment of potential UXO risks at the site (or ensure such an assessment is completed by others).
- Put in place appropriate risk mitigation measures if necessary.
- Supply all parties with information relevant to the risks presented by the project.
- Ensure the preparation of a suitably robust emergency response plan.

4.3. The 1974 Health and Safety at Work etc. Act

All employers have a responsibility under the Health and Safety at Work etc. Act 1974 and the Management of Health and Safety at Work Regulations 1999, to ensure the health and safety of their employees and third parties, so far as is reasonably practicable and conduct suitable and sufficient risk assessments.

4



4.4. CIRIA C681

In 2009, the Construction Industry Research and Information Association (CIRIA) produced a guide to UXO for the UK construction industry (CIRIA C681). CIRIA is a neutral, independent and not-for-profit body, linking organisations with common interests and facilitating a range of collaborative activities that help improve the industry.

The publication provides the UK construction industry with a defined process for the management of risks associated with UXO from WWI and WWII aerial bombardment. It is also broadly applicable to the risks from other forms of UXO that might be encountered. It focuses on construction professionals' needs, particularly if there is a suspected item of UXO on site and covers issues such as what to expect from a UXO specialist. The guidance also helps clients to fulfil their legal duty under CDM 2015 to provide designers and contractors with project specific health and safety information needed to identify hazards and risks associated with the design and construction work. This report conforms to this CIRIA guidance and to the various recommendations for good practice referenced therein. It is recommended that this document is acquired and studied where possible to allow a better understanding of the background to both the risk assessment process and the UXO issue in the UK in general.

4.5. Additional Legislation

In the event of a casualty resulting from the failure of an employer/client to address the risks relating to UXO, the organisation may be criminally liable under the Corporate Manslaughter and Corporate Homicide Act 2007.

5. The Role of Commercial UXO Contractors and The Authorities

5.1. Commercial UXO Specialists

The role of a UXO Specialist (often referred to as UXO Consultant or UXO Contractor) such as 1st Line Defence is defined in CIRIA C681 as the provision of expert knowledge and guidance to the client on the most appropriate and cost-effective approach to UXO risk management at a site.

The principal role of UXO Specialists is to provide the client with an appropriate assessment of the risk posed by UXO for a specific project, and identify and carry out suitable methodology for the mitigation of any identified risks to reduce them to an acceptable level.

The requirement for a UXO Specialist should ideally be identified in the initial stages of a project, and it is recommended that this occur prior to the start of any detailed design. This will enable the client to budget for expenditure that may be required to address the risks from UXO, and may enable the project team to identify appropriate techniques to eliminate or reduce potential risks through considered design, without the need for UXO specific mitigation measures. The UXO Specialist should have suitable qualifications, levels of competency and insurances.

Please note 1st Line Defence has the capability to provide a complete range of required UXO risk mitigation services, in order to reduce a risk to as low as reasonably practicable. This can involve the provision of both ground investigation, and where appropriate, UXO clearance services.

5





5.2. The Authorities

The police have a responsibility to co-ordinate the emergency services in the event of an ordnance-related incident at a construction site. Upon inspection they may impose a safety cordon, order an evacuation, and call the military authorities Joint Services Explosive Ordnance Disposal Operation Centre (JSEODOC) to arrange for investigation and/or disposal. Within the Metropolitan Police Operational Area, SO15 EOD will be tasked to any discovery of suspected UXO. The request for Explosive Officer (Expo) support is well understood and practiced by all Metropolitan Boroughs. The requirement for any additional assets will then be coordinated by the Expo if required.

In the absence of a UXO specialist, police officers will usually employ such precautionary safety measures, thereby causing works to cease, and possibly requiring the evacuation of neighbouring businesses and properties.

The priority given to the police request will depend on the EOD teams judgement of the nature of the UXO risk, the location, people and assets at risk, as well as the availability of resources. The speed of response varies; authorities may respond immediately or in some cases it may take several days for the item of ordnance to be dealt with. Depending on the on-site risk assessment the item of ordnance may be removed from the site and/or destroyed by a controlled explosion.

Following the removal of an item of UXO, the military authorities will only undertake further investigations or clearances in high-risk situations. If there are regular UXO finds on a site the JSEODOC may not treat each occurrence as an emergency and will recommend the construction company puts in place alternative procedures, such as the appointment of a commercial contractor to manage the situation.

6. The Site

6.1. Site Location

The site is situated in Loughton, within the Epping Forest District of Essex. It is bordered by residential housing and associated garden areas to both the north and west, with the east bounded by Whitehills Road. Oak View School is situated to the south of site, whilst Church Lane is situated further to the north of the site, beyond the residential housing.

The site is approximately centred on the OS grid reference: TQ 4309296550

Site location maps are presented in **Annex A**.

6.2. Site Description

The site is currently occupied by an enclosed open area of hard standing and a number of single storied garages within a residential area.

A recent aerial photograph and site plan are presented in **Annex B** and **Annex C** respectively.

6

7. Scope of the Proposed Works

7.1. General



The scope of the proposed works are understood to include the demolition of the existing garages and the development of two residential units with rear garden areas, vehicle access, landscaping and five car parking spaces.

8. **Ground Conditions**

8.1. General Geology

The British Geological Survey (BGS) map shows the site to be underlain by the London Clay Formation - Clay, Silt And Sand, of the Paleogene Period. The superficial deposits are recorded to be Lowestoft Formation – Diamicton, formed up to 2 million years ago in the Quaternary Period.

8.2. Site Specific Geology

Site-specific geotechnical data was not available during the production of this report.

9. <u>Site History</u>

9.1. Introduction

The purpose of this section is to identify the composition of the site pre and post-WWII. It is important to establish the historical use of the site, as this may indicate the site's relation to potential sources of UXO as well as help with determining factors such as the land use, groundcover, likely frequency of access and signs of bomb damage.

9.2. Ordnance Survey Historical Maps

Relevant historical maps were obtained for this report and are presented in **Annex D.** See below for a summary of the site history shown on acquired mapping.

Pre-WWII			
Date	Scale	Description	
1920	1:2,500	This map shows the site to be occupied by open ground throughout. A number of structures are shown immediately south-east of the site, whilst other, isolated buildings are shown to the north and north-east of the site, close to Church Lane roadway.	

wwii		
Date	Date Scale Description	
1940	1:2,500	No significant changes are noted within the site boundary from the previous map edition. The site has remained occupied by open ground, with the structures present immediately south-east of the site now labelled as <i>Border's Farm</i> . Additional residential structures are shown in the vicinity of the site to the west and north of the site, although the area appears to remain relatively sparsely populated.

Post-WWII		
Date	Scale	Description





1966 - 1967	1:1,250	Development has occurred within the site boundary from the previous map edition. The site is now shown to be occupied by a number of small rectangular structures, which are believed to be garages. In the wider area, significant urban development has taken place and a number of residential structures have been developed to the north and east of the site.
-------------	---------	---

10. **Introduction to German Aerial Delivered Ordnance**

10.1. General

During WWI and WWII, the UK was subjected to bombing which often resulted in extensive damage to city centres, docks, rail infrastructure and industrial areas. The poor accuracy of WWII targeting technology and the nature of bombing techniques often resulted in neighbouring areas to targets sustaining collateral damage.

In addition to raids which concentrated on specific targets, indiscriminate bombing of large areas also took place, this occurred most prominently in the London 'Blitz', though affected many other towns and cities. As discussed in the following sections, a proportion of the bombs dropped on the UK did not detonate as designed. Although extensive efforts were made to locate and deal with these UXBs at the time, many still remain buried and can present a potential risk to construction projects.

The main focus of research for this section of the report will concern German aerial delivered ordnance dropped during WWII, although WWI bombing will also be considered.

10.2. **Generic Types of WWII German Aerial Delivered Ordnance**

To provide an informed assessment of the hazards posed by any items of unexploded ordnance that may remain in situ on site, the table below provides information on the types of German aerial delivered ordnance most commonly used by the Luftwaffe during WWII. Images and brief summaries of the characteristics of these items of ordnance are listed in Annex E.

Generic Types of WWII German Aerial Delivered Ordnance			
Туре	Frequency	Likelihood of detection	
High Explosive (HE) bombs	In terms of weight of ordnance dropped, HE bombs were the most frequently deployed by the Luftwaffe during WWII.	Although efforts were made to identify the presence of unexploded ordnance following an air raid, often the damage and destruction caused by detonated bombs made observation of UXB entry holes impossible. The entry hole of an unexploded bomb can be as little as 20cm in diameter and was easily overlooked in certain ground conditions (see Annex F). Furthermore, ARP documents describe the danger of assuming that damage, actually caused by a large UXB, was due to an exploded smaller bomb. UXBs therefore present the greatest risk to present—day intrusive works.	
1kg Incendiary bombs (IB)	In terms of the number of weapons dropped, small IBs were the most numerous. Millions of these were dropped throughout WWII.	IBs had very limited penetration capability and in urban areas would often have been located in post-raid surveys. If they failed to initiate and fell in water, on soft vegetated ground, or bombed rubble, they could easily go unnoticed.	
Large Incendiary bombs (IB)	These were not as common as the 1kg IBs, although they were more frequently deployed than PMs and AP bomblets.	If large IBs did penetrate the ground, complete combustion did not always occur and in such cases they could remain a risk to intrusive works.	
Aerial or Parachute mines (PM)	These were deployed less frequently than HE and IBs due to	If functioning correctly, PMs generally would have had a slow rate of descent and were very unlikely to have penetrated the ground. Where the parachute failed, mines would have simply shattered on impact if	



	size, cost and the difficulty of deployment.	the main charge failed to explode. There have been extreme cases when these items have been found unexploded. However, in these scenarios, the ground was either extremely soft or the munition fell into water.
Anti- personnel (AP) bomblets	and are generally considered to	SD2 bomblets were packed into containers holding between 6 and 108 submunitions. They had little ground penetration ability and should have been located by the post-raid survey unless they fell into water, dense vegetation or bomb rubble.

10.3. Failure Rate of German Aerial Delivered Ordnance

It has been estimated that 10% of WWII German aerial delivered HE bombs failed to explode as designed. Reasons for why such weapons might have failed to function as designed include:

- Malfunction of the fuze or gain mechanism (manufacturing fault, sabotage by forced labour or faulty installation).
- Many were fitted with a clockwork mechanism that could become immobilised on impact.
- Failure of the bomber aircraft to arm the bombs due to human error or an equipment defect.
- Jettisoning the bomb before it was armed or from a very low altitude. This most likely occurred if the bomber aircraft was under attack or crashing.

From 1940 to 1945 bomb disposal teams reportedly dealt with a total of 50,000 explosive items of 50kg and over, 7,000 anti-aircraft projectiles and 300,000 beach mines. Unexploded ordnance is still regularly encountered across the UK, see press articles in **Annex G**.

10.4. UXB Ground Penetration

An important consideration when assessing the risk from a UXB is the likely maximum depth of burial. There are several factors which determine the depth that an unexploded bomb will penetrate:

- Mass and shape of bomb.
- · Height of release.
- Velocity and angle of bomb.
- Nature of the ground cover.
- Underlying geology.

Geology is perhaps the most important variable. If the ground is soft, there is a greater potential of deeper penetration. For example, peat and alluvium are easier to penetrate than gravel and sand, whereas layers of hard strata will significantly retard and may stop the trajectory of a UXB.

10.4.1. The J-Curve Effect

J-curve is the term used to describe the characteristic curve commonly followed by an aerial delivered bomb dropped from height after it penetrates the ground. Typically, as the bomb is slowed by its passage through underlying soils, its trajectory curves towards the surface. Many UXBs are found with their nose cone pointing upwards as a result of this effect. More importantly however is the resulting horizontal offset from the point of entry. This is typically a distance of about one third of the bomb's penetration depth, but can be higher in certain conditions.

10.4.2. WWII UXB Ground Penetration Studies

During WWII the Ministry of Home Security undertook a major study on actual bomb penetration depths, carrying out statistical analysis on the measured depths of 1,328 bombs as reported by bomb



disposal (BD) teams. Conclusions were made as to the likely average and maximum depths of penetration of different sized bombs in different geological strata.

For example, the largest common German bomb (500kg) had a likely concluded penetration depth of 6m in sand or gravel but 11m in clay. The maximum observed depth for a 500kg bomb was 11.4m and for a 1,000kg bomb 12.8m. Theoretical calculations suggested that significantly greater penetration depths were probable.

10.4.3. Site Specific Bomb Penetration Considerations

When considering an assessment of the bomb penetration at the site of proposed works the following parameters have been used:

- WWII geology London Clay Formation
- Impact angle and velocity 10-15° from vertical and 270 metres per second.
- Bomb mass and configuration The 500kg SC HE bomb, without retarder units or armour piercing nose (this was the largest of the common bombs used against Britain).

It has not been possible to determine maximum bomb penetration capabilities at this stage due to the lack of site-specific geotechnical information available. An assessment can be made once such information becomes available or by an UXO Specialist on-site.

10.5. V-Weapons

Hitler's 'V-weapon' campaign began from mid-1944. It used newly developed unmanned cruise missiles and rockets. The V-1 known as the *flying bomb* or *pilotless aircraft* and the V-2, a long range rocket, were launched from bases in Germany and occupied Europe. A total of 2,419 V-1s and 517 V-2s were recorded in the London Civil Defence region alone.

Although these weapons caused considerable damage their relatively low numbers allowed accurate records of strikes to be maintained. These records have mostly survived. There is a negligible risk from unexploded V-weapons on land today since even if the 1000kg warhead failed to explode, the weapons are so large that they would have been observed and dealt with at the time. Therefore, V-weapons are referenced in this report not as a viable risk factor, but primarily in order to help account for evidence of damage and clearance reported.

11. The Likelihood of Contamination from German Aerial Delivered UXBs

11.1. World War I

During WWI Britain was targeted and bombed by Zeppelin Airships as well as Gotha and Giant fixed-wing aircraft. A WWI map of air raids and naval bombardments across England is presented in **Annex H**. This source does not record any WWI bombing incidents to have affected Loughton, although air raids are recorded at Waltham Abbey and Epping nearby.

WWI bombs were generally smaller and dropped from a lower altitude than those used in WWII. This resulted in limited UXB penetration depths. Aerial bombing was often such a novelty at the time that it attracted public interest and even spectators to watch the raids in progress. For these reasons there is a limited risk that UXBs passed undiscovered in the urban environment. When combined with the relative infrequency of attacks and an overall low bombing density the risk from WWI UXBs is considered low and will not be further addressed in this report.



11.2. World War II Bombing of the Urban District of Chigwell

The Luftwaffe's main objective for the attacks on Britain was to inhibit the country's economic and military capability. To achieve this they targeted airfields, depots, docks, warehouses, wharves, railway lines, factories, and power stations. As the war progressed the Luftwaffe bombing campaign expanded to include the indiscriminate bombing of civilian areas in an attempt to subvert public morale.

During WWII the site was located within the Urban District of Chigwell, which sustained an overall high-moderate density of bombing, as represented by bomb density data figures and maps, see **Annex I**. This density was mainly due to Chigwell being on London's north-east periphery and therefore on the flight paths of the Luftwaffe targeting the city and the areas surrounding it.

Bombing incidents in the locality can also be attributed to the presence of an HAA battery to the southeast of the site, as it is probable that this anti-aircraft defensive feature acted as a potential target, along with a Barrage Balloon Depot in the vicinity to the south-west. (The latter is highlighted in Luftwaffe Reconnaissance Imagery presented in **Annex J**.) RAF North Weald and RAF Stapleford also likely acted as significant Luftwaffe targets within the wider area.

Records of bombing incidents in the civilian areas of the district were typically collected by Air Raid Precautions wardens and collated by Civil Defence personnel. Some other organisations, such as port and railway authorities, maintained separate records. Records would be in the form of typed or hand written incident notes, maps and statistics. Bombing data was carefully analysed, not only due to the requirement to identify those parts of the country most needing assistance, but also in an attempt to find patterns in the Germans' bombing strategy in order to predict where future raids might take place.

Records of bombing incidents for the district are presented in the following sections.

11.3. WWII Home Office Bombing Statistics

The following table summarises the quantity of German aerial delivered bombs (excluding 1kg incendiaries and anti-personnel bombs) dropped on the Urban District of Chigwell between 1940 and 1945.

	Record of German Ordnance Dropped on the Urban District of Chigwell				
Area	Acreage	8,971			
	High Explosive bombs (all types)	659			
	Parachute mines	26			
suoc	Oil bombs	39			
Weapons	Phosphorus bombs	37			
>	Fire pots	0			
	Pilotless aircraft (V-1)	21			
	Long range rocket bombs (V-2)	10			
Total		792			
Number of Items per 1,000 acres		88.3			

Source: Home Office Statistics

This table does not include UXO found during or after WWII.

Detailed records of the quantity and locations of the 1kg incendiary and anti-personnel bombs were not routinely maintained by the authorities as they were frequently too numerous to record. Although the risk relating to IBs is lesser than that relating to larger HE bombs, they were similarly designed to inflict damage and injury. Anti-personnel bombs were used in much smaller quantities and are rarely found today but are potentially more dangerous. Although Home Office statistics did not record these





types of ordnance, both should not be overlooked when assessing the general risk to personnel and equipment.

11.4. London Civil Defence Region Bomb Census Maps

During WWII, the ARP Department within the Research and Experiments Branch of the Ministry of Home Security produced both consolidated and weekly bomb census maps for the London Civil Defence Region, as well as census mapping of V-1 pilotless aircraft. These maps collectively show the approximate locations of bombs, mines and rockets dropped in the region. The site area was checked on each available map sheet, those showing bomb incidents on and in the immediate vicinity of the site are discussed below and are presented in **Annexes K & L**.

London Consolidated Bomb Census Maps – Annex K1	
Date Range	Comments
Night Bombing up to 7 th October 1940	This map sheet does not show any bombing incidents within the site boundary. One bomb strike is recorded to the south-east of the site, beyond Border's Farm, but this is considered to have been too far to have affected the site.
7 th October 1940 to 6 th June 1941	Whilst no bomb strikes are recorded directly within the site boundary, a cluster of HE bombs are recorded to the immediate east of the site, beyond Border's Farm, whilst another HE bomb strike is recorded to the north-west, along Church Lane.

London Weekly Bomb Census Maps – Annex K2		
Date Range	Comments	
21 st – 28 th October 1940	No bomb strikes are recorded within the site boundary, although a HE bomb strike is recorded to the north-west of the site, on Church Lane.	
17 th – 22 nd April 1944	A number of large calibre (5 x 250kg and 1 x 1000kg) HE bombs are recorded to the immediate north and north-east of the site.	

V-1 Pilotless Aircraft Bomb Census Map — Annex L	
Date Range	Comments
1944-45	No V-1 pilotless aircraft are recorded within the site boundary or immediate vicinity. Damage from V weapons cannot be attributed to the site area.

11.5. London Group 7 War Diary

A war diary, kept to summarise the key events of the London Group areas, was acquired from the Essex Record Office. This source details daily bombing events and other incidents within the 'Group 7' area of the London Civil Defence area. This area included the Urban District of Chigwell and therefore the site location. Relevant excerpts from this record set are displayed in **Annex M** and transcribed in the table below. Incidents believed to have taken place in the immediate area of the site are highlighted in bold.

London Group 7 War Diary- Annex M	
Date Range	Comments
26 th July 1940	Two bombs close together recorded in Loughton, with another 'in forest land'. Two fatalities resulted from these, with the bombs demolishing one house and severely damaging six others.



31st July 1940	Several unexploded cannon shells were reported for disposal within the district. The exact location of these are not recorded.	
13 th September 1940	'A few HE' recorded on open ground between Loughton Station and Warren Hill.	
15 th /16 th September 1940	6 HEs are recorded between 2 and 3pm 'in open ground which caused slight damage to property'.	
18 th /19 th September 1940	'A large number' of both HEs and incendiary bombs are recorded in the district 'mostly on open spaces', although some damage is noted in the Chigwell area.	
11 th /12 th October 1940	A night of raiding resulted in two HE bombs 'in the fields in the Chigwell area', causing no damage or casualties.	
17 th /18 th October 1940	Both HEs and incendiary bombs recorded within the Chigwell district, including at 'Border's Lane, Loughton', which ran to the south of the site, beyond Border's Farm.	
20 th /21 st October 1940	A large number of HEs recorded on the Chigwell Urban District between 11pm and 1am. 'No fewer than 43 bombs' were recorded, resulting in 3 casualties badly injured. Various damage included a school, houses, gas and water mains in addition to telephone wires and the railway line near Chigwell station.	
26 th /27 th October 1940	Military buildings noted as being slightly damaged when six HEs and three oil bombs fell 'in the vicinity of Rectory Lane and Borders Lane, Loughton'.	
7 th /8 th November 1940	16 HE bombs are recorded to have fallen in fields, some at Loughton Hall Farm.	
19 th April 1944	Many HEs, incendiaries and phosphorus bombs 'PhIBs' were dropped over Chigwell. Specific reference made to Trapps Hill.	

11.6. London Group 7: UXB register

A UXB register for the Urban District of Chigwell was obtained from the Essex Record Office. This source indicates the location and date of discovered UXBs within the Chigwell district. No references could be found to the site or the surrounding areas.

11.7. Chigwell Incident Records

Written incident records were obtained from The National Archives, Kew. Note that these records only cover a limited period of the war and not the whole period of bombing in Chigwell, from February 1941 to July 1942. No bombing incidents close to the site could be located within this record set.

11.8. WWII-Era Aerial Photography

A high-resolution scan of WWII-era aerial photography for the site area was obtained from the National Monuments Record Office (Historic England). This photograph provides a record of the potential composition of the site during the war, as well as its condition immediately following the war (see Annex N).





WWII-Era Aerial Photography – Annex N		
Date	Description	
26 th June 1947	This photograph shows the site to be entirely comprised of open, vegetated ground. A narrow lane is shown as passing through the eastern section of the site, leading to Border's Farm, shown directly south of the site. A number of residential structures are also visible to the north, along Church Lane, and further east, beyond a number of open fields. Border's Farm buildings depicted in the immediate vicinity in 1940 OS mapping appear to have been subsequently cleared or to have significantly changed in composition. In particular, the northern section of the farm, to the south-east of the site, appears to have been largely demolished with only a chimney remaining standing. Whilst sheds to the south of the site are no longer present. These signs of potential bomb damage are highlighted in Annex N2 . The remaining farm structures appear to have survived relatively intact.	
	The remaining farm structures appear to have survived relatively intact.	

11.9. **Abandoned Bombs**

A post air-raid survey of buildings, facilities, and installations would have included a search for evidence of bomb entry holes. If evidence of an entry hole was encountered, Bomb Disposal Officer Teams would normally have been requested to attempt to locate, render safe, and dispose of the bomb. Occasionally, evidence of UXBs was discovered but due to a relatively benign position, access problems, or a shortage of resources the UXB could not be exposed and rendered safe. Such an incident may have been recorded and noted as an 'abandoned bomb'.

Given the inaccuracy of WWII records and the fact that these bombs were 'abandoned', their locations cannot be considered definitive or the lists exhaustive. The MoD states that 'action to make the devices safe would be taken only if it was thought they were unstable'. It should be noted that other than the 'officially' abandoned bombs, there will inevitably be UXBs that were never recorded.

1st Line Defence holds no records of officially registered abandoned bombs at or near the site of the proposed works.

11.10. Bomb Disposal Tasks

The information service from the Explosive Ordnance Disposal (EOD) Archive Information Office at 33 Engineer Regiment (EOD) (now 29 Regt) is currently facing considerable delay. It has therefore not been possible to include any updated official information regarding bomb disposal/clearance tasks with regards to this site. A database of known disposal/clearance tasks has been referred to which does not make reference to such instances occurring within the site of proposed works. If any relevant information is received at a later date ECD Architects will be advised.

11.11. Evaluation of German Aerial Delivered UXO Records

Factors	Conclusion
---------	------------



	_	_	
Density	Λf	Ron	hing
DEHISILA	VI.	DUII	INIIIE

It is important to consider the bombing density when assessing the possibility that UXBs remain in an area. High bombing density could allow for error in record keeping due to extreme damage caused to the area.

During WWII, the site was situated within the Urban District of Chigwell, which sustained an overall moderate-high density. An average of 88.3 items of ordnance were recorded per 1,000 acres.

No bombing incidents are recorded directly within the site boundary. However, both London Bomb Census mapping and the Group 7 War Diary for the area indicate that a cluster of bombing incidents occurred surrounding Trapps Hill on the 19th April 1944. These bomb strikes are plotted approximately 75m north-east of the site, in close proximity to Border's Farm and were large calibre; comprising both 250kg and 1000kg HE bombs.

Damage

If buildings or structures on a site sustained bomb or fire damage any resulting rubble and debris could have obscured the entry holes of unexploded bombs dropped during the same or later raids. Similarly, a high explosive bomb strike in an area of open agricultural land will have caused soil disturbance, increasing the risk that a UXB entry hole would be overlooked.

Border's Farm buildings depicted in the immediate vicinity in 1940 OS mapping appear to have been subsequently cleared or to have significantly changed in composition by the time of 1947 aerial imagery. In particular, the northern section of the farm, to the immediate southeast of the site, appears to have been largely demolished with only a chimney remaining standing. Whilst sheds to the south of the site are no longer present. These signs of potential bomb damage are highlighted in **Annex N2**.

The remaining farm structures appear to have survived relatively intact.

Access Frequency

UXO in locations where access was irregular would have a greater chance of passing unnoticed than at those that were regularly occupied. The importance of a site to the war effort is also an important consideration as such sites are likely to have been both frequently visited and subject to post-raid checks for evidence of UXO.

Given the site was occupied by open, undeveloped land during WWII, it is not anticipated that the site would have been subject to specific post raid checks. However, its position within Border's Farm immediate proximity does suggest that the site may have been subject to residual levels of access and observation, provided that the farm buildings remained in-use.

Ground Cover

The nature of the ground cover present during WWII would have a substantial influence on any visual indication that may indicate UXO being present.

The site was comprised entirely of vegetated ground during WWII, conditions which are not generally considered to be conducive to the observation of features indicative of items of UXO falling within the site. This is because evidence such as disturbed ground or cratering can be easily overlooked in such areas or obscured by the natural growth of vegetation.

Bomb Failure Rate

There is no evidence to suggest that the bomb failure rate in the locality of the site would have been dissimilar to the 10% normally used.

Abandoned Bombs

 1^{st} Line Defence holds no records of abandoned bombs at or within the site vicinity.

Bombing Decoy sites

1st Line Defence could find no evidence of bombing decoy sites within the site vicinity.

Bomb Disposal Tasks

 1^{st} Line Defence could find no evidence of bomb disposal tasks within the site boundary and immediate area.



12. Introduction to Allied Explosive Ordnance

12.1. General

Many areas across the UK may be at risk from Allied UXO because of both wartime and peacetime military use. Typical military activities and uses that may have led to a legacy of military UXO at a site include former minefields, home guard positions, anti-aircraft emplacements, training and firing ranges, military camps, as well as weapons manufacture and storage areas.

Although land formerly used by the military were usually subject to clearance before they returned to civilian use, items of UXO are sometimes discovered and can present a potential risk to construction projects.

It should be highlighted that there is no evidence that the site formerly had any military occupation or usage that could have led to contamination with such items of Allied ordnance. Despite this, urban areas such as the location of the site, can however be at risk from buried unexploded anti-aircraft projectiles fired during WWII – as addressed below.

12.2. Defending the UK From Aerial Attack

During WWII the War Office employed a number of defence tactics against the Luftwaffe from bombing major towns, cities, manufacturing areas, ports and airfields. These can be divided into passive and active defences (examples are provided in the table below).

Active Defences	Passive Defences
Anti-aircraft gun emplacements to engage enemy aircraft.	 Blackouts and camouflaging to hinder the identification of Luftwaffe targets.
 Fighter aircraft to act as interceptors. Rockets and missiles were used later during WWII. 	 Decoy sites were located away from targets and used dummy buildings and lighting to replicate urban, military, or industrial areas. Barrage balloons forced enemy aircraft to greater altitudes.
	 Searchlights were often used to track and divert adversary bomber crews during night raids.

Active defences such as anti-aircraft artillery present a greater risk of UXO contamination than passive defences. Unexploded ordnance resulting from dogfights and fighter interceptors is rarely encountered and difficult to accurately qualify.

12.2.1. Anti-Aircraft Artillery (AAA)

During WWII three main types of gun sites existed: heavy anti-aircraft (HAA), light anti-aircraft (LAA) and 'Z' batteries (ZAA). If the projectiles and rockets fired from these guns failed to explode or strike an aircraft they would descend back to land. The table below provides further information on the operation and ordnance associated with these type of weapons.

Anti-Aircraft Artillery	
Item	Description
НАА	These large calibre guns such as the 3.7" QF (Quick Firing) were used to engage high flying enemy bombers, They often fired large HE projectiles, which were usually initiated by integral fuzes triggered by impact, area, time delay or a combination of aforementioned mechanisms.





LAA	These mobile guns were intended to engage fast, low flying aircraft. They were typically rotated between locations on the perimeters of towns and strategically important industrial works. As they could be moved to new positions with relative ease when required, records of their locations are limited. The most numerous of these were the 40mm Bofors gun which could fire up to 120 x 40mm HE projectiles per minute to over 1,800m.			
Variations in HAA	Gun type	Calibre	Shell Weight	Shell Dimensions
and LSA	3.0 Inch	76mm	7.3kg	76mm x 356mm
Ammunition	3.7 Inch	94mm	12.7kg	94mm x 438mm
	4.5 Inch	114mm	24.7kg	114mm x 578mm
	40mm	40mm	0.9kg	40mm x 311mm
Z-AA	The three inch unrotated rocket/projectile known as the UP-3 had initially been developed for the Royal Navy. The UP-3 was also used in ground-based single and 128-round launchers known as "Z" batteries. The rocket, containing a high explosive warhead was often propelled by cordite.			

The closest recorded HAA to the site was located approximately 1km east of the site, however the range of a projectile can be up to 15km. The site would also have been in range of mobile light anti-aircraft guns.

The conditions in which anti-aircraft projectiles may have fallen unnoticed within a site area are analogous to those regarding aerial delivered ordnance. Unexploded anti-aircraft projectiles could essentially have fallen indiscriminately anywhere within range of the guns. The chance of such items being observed, reported and removed during the war depends on factors such as land use, ground cover, damage and frequency of access – the same factors that govern whether evidence of a UXB is likely to have been noted. More information about these factors with regards to this particular site can be found in the German Aerial Delivered Ordnance section of this report.

Illustrations of Anti-Aircraft artillery, projectiles and rockets are presented at **Annex O**.

13. The Likelihood of Contamination from Allied Ordnance

13.1. Introduction

There are several factors that may serve to either affirm, increase, or decrease the level of risk within a site with a history of military usage. Such factors are typically dependent upon the proximity of the proposed area of works to training activities, munition productions and storage, as well as its function across the years.

This section will examine the history of the proposed site and assess to what degree, if any, the site could have become contaminated as a result of the military use of the surrounding area.

13.2. Military History of the Site of Proposed Works

Whilst there does not appear to have been any Allied features, such as army camps, pillboxes or other military installations directly within the site, it appears to have been situated approximately 1km to the west of the Outer London Defensive Line, consisting of anti-tank ditches, pillboxes and a HAA battery, designed to counter the threat of invasion. These features, whilst notable, are not on their own a cause for concern in regards to the risk of encountering items of UXO within the site. Even if items of live ordnance were stored and used in some of these positions, there is little chance of them being transferred to the site area, especially given their distance and the number of residential housing and farmland surrounding the site.





Evaluation of Contamination Risk from Allied UXO 13.3.

1st Line Defence has considered the following potential sources of Allied ordnance contamination:

Sources of Allied UXO Contamination	Conclusion
Military Camps Military camps present an elevated risk from ordnance simply due to the large military presence and likelihood of associated live ordnance training.	1st Line Defence could find no evidence of a military camp within the site.
Anti-Aircraft Defences Anti-Aircraft defences were employed across the country. Proximity to anti-aircraft defences increases the chance of encountering AA projectiles.	1st Line Defence could find no evidence of Anti-Aircraft defences such as a HAA or LAA gun emplacement occupying or bordering the site. The closest HAA was located approximately 1km east of the site, however the range of a projectile can be up to 15km. The conditions in which HAA or LAA projectiles may have fallen unnoticed within a site footprint are analogous to those regarding German aerial delivered ordnance.
Home Guard Activity The Home Guard regularly undertook training and ordnance practice in open areas, as well as burying ordnance as part of anti-invasion defences.	1st Line Defence has no evidence of any Home Guard activities on the site.
Defensive Positions Defensive positions suggest the presence of military activity, which is often indicative of ordnance storage, usage or disposal.	A static defensive line, consisting of anti-tank ditches, pillboxes and a HAA battery, was situated approximately 1km to the east of the site. However, due to their distance the presence of these features is not considered to elevated the risk of encountering items of Allied ordnance within the site boundary.
Training or firing ranges Areas of ordnance training saw historical ordnance usage in large numbers, often with inadequate disposal of expended and live items. The presence of these ranges significantly impact on the risk of encountering items of ordnance in their vicinity.	There is no evidence of such features affecting the site.
Defensive Minefields Minefields were placed in strategic areas to defend the country in the event of a German invasion. Minefields were not always cleared with an appropriate level of vigilance.	There is no evidence of defensive minefields affecting the site.
Ordnance Manufacture Ordnance manufacture indicates an increased chance that items of ordnance were stored, or disposed of, within a location.	No information of ordnance being stored, produced, or disposed of within the proposed site could be found.



Military Related Airfields

Military airfields present an elevated risk from ordnance simply due to the large military presence and likelihood of associated live ordnance training or bombing practice. The site was not situated within the perimeters or vicinity of a military airfield.

14. The Likelihood of UXO Contamination Summary

The following table assesses the likelihood that the site was contaminated by items of German aerial delivered and Allied ordnance. Factors such as the risk of UXO initiation, remaining, and encountering will be discussed later in the report.

UXO Contamination Summary

Quality of the Historical Record

The research has evaluated pre- and post-WWII Ordnance Survey maps, Luftwaffe reconnaissance imagery, London Bomb Census mapping, a War Diary for Group 7, which included the wartime borough of the site, bomb census reports held at the National Archives and high-resolution WWII-era aerial photography.

The record set is of generally good quality, with a large and reasonably detailed record set for the borough. The site's undeveloped nature means that it is hard to determine within the record set if the site area was affected by bombing. However, the farm adjacent to the site's southern boundary does not appear to have been bombed and is not mentioned within any of the record sets consulted, indicating a lack of bomb damage in this area.

German Aerial Delivered Ordnance

- During WWII, the site was situated within the Urban District of Chigwell, which sustained an overall moderate-high density of bombing, with an average of 88.3 items of ordnance recorded per 1,000 acres.
- No bombing incidents are recorded directly within the site boundary. However, both London Bomb Census mapping and the Group 7 War Diary for the area indicate that a large cluster of bombing incidents fell surrounding Trapps Hill on the 19th April 1944. These bomb strikes are plotted approximately 75m northeast of the site, in close proximity to Border's Farm and were large calibre; comprising both 250kg and 1000kg HE bombs.
- Given the site was situated immediately adjacent to a farm during wartime, named Border's Farm, it would normally be considered likely that the site would have a degree of regular observation and that evidence of UXO would subsequently have been more likely to have been noted and recorded. However, in this instance evidence has been found to suggest that the farm was significantly affected by the aforementioned bombing in the vicinity and that access may have been subsequently disrupted.
- WWII-era aerial imagery dated 1947 shows substantial composition change and
 clearance to several of the Border's Farm buildings in the immediate site vicinity,
 which are previously depicted on 1940 OS mapping. In particular, the northern
 section of the farm, to the immediate south-east of the site, appears to have
 been largely demolished with only a chimney remaining standing. Whilst sheds
 to the south of the site are no longer present.
- Whilst it is not possible to confirm that these changes were explicitly the result of bombing, as no specific reference to the farm could be found within written records, it is considered likely considering the number of large calibre bomb strikes plotted in the immediate vicinity. When the proximity of this potential damage near the site is taken into consideration, alongside the concentration of bomb strikes in the locality, there is considered to be an elevated risk that an item of UXO could have fallen on-site unrecorded.



Δllied	Ordnance

There is no evidence that the site formerly had any military occupation or usage that could have led to contamination with items of Allied ordnance, such as LSA and SAA. The conditions in which HAA or LAA projectiles may have fallen unnoticed within the site boundary are however analogous to those regarding aerial delivered ordnance.

15. The Likelihood that UXO Remains

15.1. Introduction

It is important to consider the extent to which any explosive ordnance clearance (EOC) activities or extensive ground works have occurred on site. This may indicate previous ordnance contamination or reduce the risk that ordnance remains undiscovered.

15.2. UXO Clearance

1st Line Defence has found no evidence in the public domain or within internal records that any official ordnance clearance operations have taken place on site. Note however that we have not received confirmation of this fact from the 33 EOD Regiment Archive (now part of 29 Regt). It should also be noted that in addition to 29 Regt archival information, 1st Line Defence also do not currently have access to data that may be relevant including 5131(BD)SQN Archive, SD Training Technical Advisory Section (TAS) and MACA Records (bomb disposal callouts).

If such information is available at a later date, it is recommended that it be reviewed as it will assist with understanding both levels and types of contamination likely to be present, and may indicate risk reduction in certain areas.

15.3. Post-war Redevelopment

No substantial post-war development appears to have occurred on site. The development of the existing hard standing and garage structures on-site is anticipated to have required relatively shallow excavation works

The risk of UXO remaining is only considered to be substantially mitigated at the location of and down to the depths of post-war foundation and excavation works.

16. The Likelihood of UXO Encounter

16.1. Introduction

For UXO to pose a risk at a site, there should be a means by which any potential UXO might be encountered on that site.

The likelihood of encountering UXO on the site of proposed would depend on various factors, such as the type of UXO that might be present and the intrusive works planned on site. In most cases, UXO is more likely to be present below surface (buried) than on surface.

In general, the greater the extent and depth of intrusive works, the greater the risk of encountering. The most likely scenarios under which items of UXO could be encountered during construction works is during piling, drilling operations or bulk excavations for basement levels. The overall risk will depend



on the extent of the works, such as the numbers of boreholes/piles (if required) and the volume of the excavations.

16.2. Encountering Aerial Delivered Ordnance

Since an aerial delivered bomb may come to rest at any depth between just below ground level and its maximum penetration depth, there is a chance that such an item (if present) could be encountered during shallow excavations (for services or site investigations) into the original WWII ground level as well as at depth.

17. The Likelihood of UXO Initiation

17.1. Introduction

UXO does not spontaneously explode. Older UXO devices will require an external event/energy to create the conditions for detonation to occur. The likelihood that a device will function can depend on a number of factors including the type of weaponry, its age and the amount of energy it is struck with.

17.2. Initiating Aerial Delivered Ordnance

Unexploded bombs do not spontaneously explode. All high explosive filling requires significant energy to create the conditions for detonation to occur.

In recent decades, there have been a number of incidents in Europe where Allied UXBs have detonated, and incidents where fatalities have resulted (some examples are presented in **Annex G**). There have been several hypotheses as to the reason why the issue is more prevalent in mainland Europe – reasons could include the significantly greater number of bombs dropped by the Allied forces on occupied Europe, the preferred use by the Allies of mechanical rather than electrical fuzes, and perhaps just good fortune. The risk from UXO in the UK is also being treated very seriously in many sectors of the construction industry, and proactive risk mitigation efforts will also have affected the lack of detonations in the UK.

There are certain construction activities which make initiation more likely, and several potential initiation mechanisms must be considered:

UXB Initiation		
Direct Impact	Unless the fuze or fuze pocket is struck, there needs to be a significant impact e.g. from piling or large and violent mechanical excavation, onto the main body of the weapon to initiate a buried iron bomb. Such violent action can cause the bomb to detonate.	
Re- starting the Clock	A small proportion of German WWII bombs employed clockwork fuzes. It is probable that significant corrosion would have taken place within the fuze mechanism over the last 70+ years that would prevent clockwork mechanisms from functioning. Nevertheless, it was reported that the clockwork fuze in a UXB dealt with by 33 EOD Regiment in Surrey in 2002 did re-start.	
Friction Impact	The most likely scenario resulting in the detonation of a UXB is friction impact initiating the shock-sensitive fuze explosive. The combined effects of seasonal changes in temperature and general degradation over time can cause explosive compounds to crystallise and extrude out from the main body of the bomb. It may only require a limited amount of energy to initiate the extruded explosive which could detonate the main charge.	



18. Consequences of Initiation/Encounter

18.1. Introduction

The repercussions of the inadvertent detonation of UXO during intrusive ground works, or if an item or ordnance is interfered with or disturbed, are potentially profound, both in terms of human and financial cost. A serious risk to life and limb, damage to plant and total site shutdown during follow-up investigations are potential outcomes. However, if appropriate risk mitigation measures are put in place, the chances of initiating an item of UXO during ground works is comparatively low.

The consequences of encountering UXO can be particularly notable in the case of high-profile sites (such as airports and train stations) where it is necessary to evacuate the public from the surrounding area. A site may be closed for anything from a few hours to a week with potentially significant cost in lost time. It should be noted that even the discovery of suspected or possible item of UXO during intrusive works (if handled solely through the authorities), may also involve significant loss of production

18.2. Consequences of Detonation

When considering the potential consequences of a detonation, it is necessary to identify the significant receptors that may be affected. The receptors that may potentially be at risk from a UXO detonation on a construction site will vary depending on the site specific conditions but can be summarised as follows:

- People site workers, local residents and general public.
- Plant and equipment construction plant on site.
- Services subsurface gas, electricity, telecommunications.
- Structures not only visible damage to above ground buildings, but potentially damage to foundations and the weakening of support structures.
- Environment introduction of potentially contaminating materials.

22





19. <u>1st Line Defence Risk Assessment</u>

19.1. Risk Assessment Stages

Taking into account the quality of the historical evidence, the assessment of the overall risk from unexploded ordnance is based on the following five considerations:

- 1. That the site was contaminated with unexploded ordnance.
- 2. That unexploded ordnance remains on site.
- 3. That such items will be encountered during the proposed works.
- 4. That ordnance may be initiated by the works operations.
- 5. The consequences of encountering or initiating ordnance.

19.2. Assessed Risk Level

 1^{st} Line Defence has assessed that there is an overall <u>Medium Risk</u> from German and anti-aircraft unexploded ordnance at the site of proposed works. There is also an assessed <u>Low Risk</u> from Allied ordnance.

0	Risk Level			
Ordnance Type	Negligible	Low	Medium	High
German Unexploded HE Bombs			✓	
German 1kg Incendiary Bombs			✓	
Allied Anti-Aircraft Artillery Projectiles			✓	
Allied Land Service and Small Arms Ammunition		✓		



20. Proposed Risk Mitigation Methodology

20.1. General

The following risk mitigation measures are recommended to support the proposed works at the Whitehills Road site:

Type of Work	Recommended Mitigation Measure
All Works	 UXO Risk Management Plan It is recommended that a site-specific plan for the management of UXO risk be written for this site. This plan should be kept on site and be referred to in the event that a suspect item of UXO is encountered at any stage of the project. It should detail the steps to be taken in the event of such a discovery, considering elements such as communication, raising the alarm, nominated responsible persons etc. Contact 1st Line Defence for help/more information. Site Specific UXO Awareness Briefings to all personnel conducting intrusive works. As a minimum precaution, all personnel working on the site should be briefed on the basic identification of UXO and what to do in the event of encountering a suspect item. This should in the first instance be undertaken by a UXO Specialist. Posters and information on the risk of UXO can be held in the site office for reference.
Shallow Intrusive Works/Open Excavations	 Unexploded Ordnance (UXO) Specialist Presence on Site to support shallow intrusive works When on site the role of the UXO Specialist would include: Monitoring works using visual recognition and instrumentation, including immediate response to reports of suspicious objects or suspected items of ordnance that have been recovered by the ground workers on site. Providing UXO awareness briefings to any uninformed staff and advise staff of the need to modify working practices to take account of the ordnance risk. To aid incident management which would involve liaison with the local authorities and police should ordnance be identified and present an explosive hazard.
Borehole/Piles	Intrusive Magnetometer Survey of all borehole and pile locations down to a maximum bomb penetration depth: 1st Line Defence can deploy a range of intrusive magnetometer techniques to clear pile locations. The appropriate technique is influenced by a number of factors, but most importantly the site's ground conditions. The appropriate survey methodology would be confirmed once the enabling works have been completed.

In making this assessment and recommending these risk mitigation measures, if known, the works outlined in the 'Scope of the Proposed Works' section were considered. Should the planned works be modified or additional intrusive engineering works be considered, 1st Line Defence should be consulted to see if a re-assessment of the risk or mitigation recommendations is necessary.

1st Line Defence Limited

14th September 2019

This Report has been produced in compliance with the Construction Industry Research and Information Association (CIRIA) C681 guidelines for the writing of Detailed UXO Risk Assessments.



Bibliography

- Bates, H. E., Flying Bombs over England, Frogletts Publications Ltd., 1994
- Castle, I., London 1914-17: The Zeppelin Menace, Osprey Publications Ltd., 2008
- Castle, I., London 1917-18: The Bomber Blitz, Osprey Publications Ltd., 2010
- Clarke, N. J., Adolf Hitler's Holiday Snaps: German Aerial Reconnaissance Photography of London and the Home Counties 1939 1943, N. J. Clarke Publications., 1996
- Clarke, N. J., Adolf's British Holiday Snaps: Luftwaffe Aerial Reconnaissance Photographs of England, Scotland and Wales, Fonthill Media Ltd., 2012
- Dobinson, C., AA Command: Britain's Anti-Aircraft Defences of the Second World War, Methuen., 2001
- Fegan, T., The 'Baby Killers': German Air raids on Britain in the First World War, Leo Cooper Ltd., 2002
- Fleischer, W., German Air-Dropped Weapons to 1945, Midland Publishing., 2004
- Jappy, M. J., Danger UXB: The Remarkable Story of the Disposal of Unexploded Bombs during the Second World War, Channel 4 Books., 2001
- Morris, J., German Air Raids on Britain: 1914 1918, The Naval & Military Press., 1993
- Price, A., Blitz on Britain, The Bomber Attacks on the United Kingdom 1939 1945, Purnell Book Services Ltd., 1977
- Ramsey, W., The Blitz Then and Now, Volume 1, Battle of Britain Prints International Ltd., 1987
- Ramsey, W., The Blitz Then and Now, Volume 2, Battle of Britain Prints International Ltd.,
 1988
- Ramsey, W., The Blitz Then and Now, Volume 3, Battle of Britain Prints International Ltd., 1990
- Scofield, J., Modern Military Matters., Council for British Archaeology., 2004
- Stone, K., et al., Unexploded Ordnance (UXO) A Guide For The Construction Industry (C681)., CIRIA, 2009
- Ward, L., *The London County Council: Bomb Damage Maps:* 1939 1945, Thames and Hudson., 2015
- Whiting, C., Britain Under Fire: The Bombing of Britain's Cities 1940-1945, Pen & Sword Books Ltd., 1999

Detailed Unexploded Ordnance Risk Assessment



Whitehills Road ECD Architects


This report has been prepared by 1st Line Defence Limited with all reasonable care and skill. The report contains historical data and information from third party sources. 1st Line Defence Limited has sought to verify the accuracy and comprehensiveness of this information where possible but cannot be held accountable for any inherent errors. Furthermore, whilst every reasonable effort has been made to locate and access all relevant historical information, 1st Line Defence cannot be held responsible for any changes to risk level or mitigation recommendations resulting from documentation or other information which may come to light at a later date.


This report was written by, is owned by and is copyrighted to 1st Line Defence Limited. It contains important 1st Line Defence information which is disclosed only for the purposes of the client's evaluation and assessment of the project to which the report is about. The contents of this report shall not, in whole or in part be used for any other purpose apart from the assessment and evaluation of the project; be relied upon in any way by the person other than the client, be disclosed to any affiliate of the client's company who is not required to know such information, nor to any third party person, organisation or government, be copied or stored in any retrieval system, be reproduced or transmitted in any form by photocopying or any optical, electronic, mechanical or other means, without prior written consent of the Managing Director, 1st Line Defence Limited, Unit 3, Maple Park, Essex Road, Hoddesdon EN11 0EX. Accordingly, no responsibility or liability is accepted by 1st Line Defence towards any other person in respect of the use of this report or reliance on the information contained within it, except as may be designated by law for any matter outside the scope of this report.

Report Reference: *DA9020-00*Document Code: *16-2-2F-Ed04-Jan17*

26

Α







Essex Road, Hoddesdon, Hertfordshire. EN11 0EX


ECD Architects Client:

Approximate site boundary

Project: Whitehills Road

Ref: DA9020-00 Source: Google Maps

Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Produced by and Copyright to 1st Line Defence Limited. Registered in England and Wales with CRN: 7717863. VAT No: 128 8833 79





Client: ECD Architects

Approximate site boundary

Project: Whitehills Road

Ref: **DA9020-00** Source: Google Earth [™] Mapping Services

Produced by and Copyright to 1st Line Defence Limited. Registered in England and Wales with CRN: 7717863. VAT No: 128 8833 79







Essex Road, Hoddesdon, Hertfordshire. EN11 0EX Client: **ECD Architects**

Approximate site boundary

N

Project: Whitehills Road

Ref: **DA9020-00** Source: ECD Architects

Email: info@1stlinedefence.co.uk
Tel: +44 (0)1992 245 020
Produced by and Copyright to 1st Line Defence Limited. Registered in England and Wales with CRN: 7717863. VAT No: 128 8833 79

D1





Client: **ECD Architects** Approximate site boundary

Project: Whitehills Road

Ref: DA9020-00 Source: Landmark Maps

D2






Client: **ECD Architects** Approximate site boundary

Project: Whitehills Road

Ref: DA9020-00 Source: Landmark Maps







Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: **ECD Architects**

Approximate site boundary

N


Project: Whitehills Road

Ref: **DA9020-00** Source: Landmark Maps

Examples of German Air-Delivered Ordnance

SC 50kg High Explosive Bomb

Bomb Weight	40-54kg (88-119lb)
Explosive Weight	25kg (55lb)
Fuze Type	Impact fuze/electro-mechanical time delay fuze
Bomb Dimensions	1,090 x 280mm (42.9 x 11.0in)
Body Diameter	200mm (7.87in)
Use	Against lightly damageable materials, hangars, railway rolling stock, ammunition depots, light bridges and buildings up to three stories.
Remarks	The smallest and most common conventional German bomb. Nearly 70% of bombs dropped on the UK were 50kg.








SC 250kg High Explosive Bomb

Bomb Weight	245-256kg (540-564lb)
Explosive Weight	125-130kg (276-287lb)
Fuze Type	Electrical impact/mechanical time delay fuze.
Bomb Dimensions	1640 x 512mm (64.57 x 20.16in)
Body Diameter	368mm (14.5in)
Use	Against railway installations, embankments, flyovers, underpasses, large buildings and below-ground installations.
Remarks	It could be carried by almost all German bomber aircraft, and was used to notable effect by the Junkers Ju-87 Stuka (Sturzkampfflugzeug or dive-bomber).








SC 500kg High Explosive Bomb


Bomb Weight	480-520kg (1,058-1,146lb)
Explosive Weight	250-260kg (551-573lb)
Fuze Type	Electrical impact/mechanical time delay fuze.
Bomb Dimensions	1957 x 640mm (77 x 25.2in)
Body Diameter	470mm (18.5in)
Use	Against fixed airfield installations, hangars, assembly halls, flyovers, underpasses, high-rise buildings and below-ground installations.
Remarks	40/60 or 50/50 Amatol TNT, trialene. Bombs recovered with Trialen filling have cylindrical paper wrapped pellets 1-15/16 in. in length and diameter forming

Unit 3, Maple Park

Tel: +44 (0)1992 245 020









Client: **ECD Architects**

Project: Whitehills Road


Essex Road, Hoddesdon, Hertfordshire. EN11 0EX DA9020-00 Ref: Email: info@1stlinedefence.co.uk

Source: Various sources

Examples of German Air-Delivered Ordnance

SD2 Anti-Personnel 'Butterfly Bomb'


Bomb Weight	Approx. 2kg (4.41lb)
Explosive Weight	Approx. 7.5oz (225 grams) of Amatol surrounded by a layer of bituminous composition.
Fuze Type	41 fuze (time) , 67 fuze (clockwork time delay) or 70 fuze (anti-handling device)
Body Diameter	3in (7.62 cm) diameter, 3.1in (7.874) long
Use	Designed as an anti-personnel/ fragmentation weapon. They were delivered by air, being dropped in containers of 23-144 sub-munitions that opened at a predetermined height, thus scattering the bombs.
Remarks	Very rare. First used against Ipswich in 1940, but were also dropped on Kingston upon Hull, Grimsby and Cleethorpes in June 1943, amongst various other targets in UK. As the bombs fell the outer case flicked open by springs which caused four light metal drogues with a protruding 5 inch steel cable to deploy in the form of a parachute & wind vane which armed the device as it span.





Parachute Mine (Luftmine B / LMB)

Bomb Weight	Approx. 990kg (2176lb)
Explosive Weight	Approx. 705kg (1,554lb)
Fuze Type	Impact/ Time delay / hydrostatic pressure fuze
Dimensions	2.64m x 0.64m (3.04m with parachute housing)
Use	Against civilian, military and industrial targets. Used as blast bombs and designed to detonate above ground level to maximise damage to a wider area.
Remarks	Deployed a parachute when dropped in order to control its descent. Had the potential to cause extensive damage in a 100m radius.








SC 1000kg

Bomb Weight	Approx. 993-1027kg (2,189-2,264lb)
Explosive Weight	Approx. 530-620kg (1168-1367lb)
Fuze Type	Electrical impact/mechanical time delay fuze.
Filling	Mixture of 40% amatol and 60% TNT, but when used as an anti-shipping bomb it was filled with Trialen 105, a mixture of 15% RDX, 70% TNT and 15% aluminium powder.
Bomb Dimensions	2800 x 654mm (110 x 25.8in)
Body Diameter	654mm (18.5in)
Use	SC type bombs are General Purpose Bombs used primarily for general demolition work. Constructed of parallel walls with comparatively heavy noses. They are usually of three piece welded construction







Client: **ECD Architects**

Project: Whitehills Road

DA9020-00 Source: Various sources Ref:

Produced by and Copyright to 1st Line Defence Limited. Registered in England and Wales with CRN: 7717863. VAT No: 128 8833 79

Essex Road, Hoddesdon, Hertfordshire. EN11 0EX

Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020

E3

German Incendiary Bombs

Approx. 680g (1.5lb) Thermite

8-15gm Explosive Nitropenta

1kg Incendiary Bomb Bomb Weight Approx. 1.0 - 1.3kg (2.2 and 2.9lb)

Fuze Type	Impact fuze

Explosive


Weight

Bomb	350 x 50mm (13.8 x 1.97in)
Dimensions	

Body Diameter	50mm (1.97in)
Use	As incendiary – dropped in clusters on

	towns and industrial complexes
Remarks	Magnesium alloy case. Sometimes fitted with high explosive charge. The body is a cylindrical alloy casting

threaded internally at the nose to receive the fuze holder and fuze.









C50 A Incendiary Bomb

Bomb Weight	Approx. 41kg (90.4lb)
Explosive Weight	Approx. 0.03kg (0.066lb)
Incendiary Filling	12kg (25.5lb) liquid filling with phosphor igniters in glass phials. Benzine 85%; Phosphorus 4%; Pure Rubber 10%
Fuze Type	Electrical impact fuze
Bomb Dimensions	1,100 x 280mm (43.2 x 8in)
Use	Against any targets where an incendiary effect is required
Remarks	Early fill was a phosphorous/carbon disulphide incendiary mixture






Flam C-250 Oil Bomb

Bomb Weight	Approx. 125kg (276lb)
Explosive Weight	Approx. 1kg (2.2lb)
Fuze Type	Super-fast electrical impact fuze
Filling	Mixture of 30% petrol and 70% crude oil
Bomb Dimensions	1,650 x 512.2mm (65 x 20.2in)
Body Diameter	368mm (14.5in)
Use	Often used for surprise attacks on ground troops, against troop barracks and industrial installations. Thin casing – not designed for ground penetration

Essex Road, Hoddesdon, Hertfordshire. EN11 0EX

Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020







Client: **ECD Architects**

Project: Whitehills Road

DA9020-00 Source: Various sources Ref:







Essex Road, Hoddesdon, Hertfordshire. EN11 0EX Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: **ECD Architects**

Project: Whitehills Road

DA9020-00 Source: The National Archives Ref:

G1



Bermondsey bomb: World War Two device safely removed



An unexploded World War Two bomb found in south London has been driven away safely under police and Army escort.

The 500lb (250kg) device was found on a building site in Grange Walk, Bermondsey

BBC **NEWS**

Bethnal Green WW2 bomb: Experts remove unexploded device



An unexploded World War Two bomb that prompted the evacuation of 700 people in east London has been made safe and removed by the military.

Families spent the night in a school hall after the 500lb bomb was found in the basement of a building site on Temple Street, in Bethnal Green, on Monday afternoon.

A 200m (650ft) exclusion zone was set up around the device.

March 2015

BBC **NEWS**

Bath WW2 bomb scare: Device defused, police say



A 500lb World War Two bomb found on the site of a former school in Bath has been defused and made safe.

The discovery of the bomb on Thursday led to the evacuation of hundreds of homes and many road closures in the Lansdown area of the city.

A cordon around the site was lifted on Friday evening, more than 24 hours after residents were asked to leave their homes

August 2016

B B C **NEWS**

London City Airport reopens after WW2 bomb moved



London City Airport has reopened after an unexploded 500kg World War Two bomb was safely moved from the area.

The device was discovered at the King George V Dock on Sunday during planned work at the east London airport.

All flights were cancelled on Monday after an exclusion zone was put in place, with the closure affecting up to 16,000 passengers and nearby residents being evacuated from their homes.

May 2016 May 2015



Unit 3, Maple Park Essex Road, Hoddesdon, Hertfordshire. EN11 0EX Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: **ECD Architects**

Project: Whitehills Road

DA9020-00 Source: BBC News

Examples of Unexpected Detonation of WWII Bombs

BASF has confirmed that an explosive device, most likely a World War II-era bomb, caused the blast that left one person injured Tuesday at a plant construction site in Germany.

The explosion was reported at BASF's Ludwigshafen toluene diisocyanate (TDI) plant, which recently broke ground for a 300,000 metric tons per year TDI production plant and other construction to expand its facilities.



BASE Provides Some Details

Responding to a request from *PaintSquare News* for more information on Wednesday (Feb. 27), BASF's manager of media relations and corporate communications Europe, Ursula von Stetten, wrote in an email, "So here [are] the facts: The detonation took place at 10:00 a.m. One person was injured; the injury is not serious. He will be kept in the hospital for some days.

"Cause of the detonation was an explosive device, presumably a bomb deriving from the Second World War. The device detonated when grounding work was done. No details on [a] delay [are] available. At the moment, the exact circumstances of the incident are [being] evaluated."

1st March 2013

SPIEGEL ONLINE

Blast Kills One

World War II Bomb Explodes on German Motorway

A highway construction worker in Germany accidentally struck an unexploded World War II bomb, causing an explosion which killed him and wrecked several passing cars.



A World War II bomb has exploded during construction work on a German highway, killing one worker and injuring several motorists who were driving past, police said.

The worker had been cutting through the road surface near the south-western town of Aschaffenburg when his machine struck the bomb and triggered it. Police said they weren't sure yet what type of bomb it was. "The explosion seems to have been too small for it to have been an aircraft bomb," a police spokesman said.

23rd October 2006

WWII bomb injures 17 at Hattingen construction site



Seventeen people were injured on Friday when a construction crew unwittingly detonated a buried World War II-era bomb in Hattingen.

An excavator apparently drove over a 250-kilogramme (550 pound) American bomb, damaging surrounding buildings. Most of the injured suffered auditory trauma from the blast, and the excavator operator suffered injuries to his hands, police in the German state of North Rhine-Westphalia said.

"The hole was astoundingly small for such a large bomb full of so many explosives," Armin Gebhard, head of the Arnsberg department for military ordnance removal, told The Local. "But of course it damaged all the surrounding buildings too. We are really happy it wasn't worse."

19th September 2013

B B C NEWS

World War II bomb kills three in Germany



A special commission is investigating the causes of the explosion, while prosecutors are considering whether the team leader should face charges of manslaughter through culpable negligence, the BBC's Oana Lungescu reports from Berlin.

The blast happened an hour before the defusing operation was due to start.

Officials said the three men who died were experienced sappers, or combat engineers, who over 20 years had defused up to 700 bombs.

More than 7,000 people were immediately evacuated when the 500kg bomb was found. Several schools, a kindergarten and local companies remain closed.

2nd June 2010



June 2006




Unit 3, Maple Park Essex Road, Hoddesdon, Hertfordshire. EN11 0EX Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: ECD Architects

Project: Whitehills Road

Ref: **DA9020-00** Source: Various news sources

Н






Essex Road, Hoddesdon, Hertfordshire. EN11 0EX

Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: **ECD Architects**

Project: Whitehills Road

J. Morris, German Air Raids on Britain DA9020-00 Source: Ref:








Client: **ECD Architects**

Project: Whitehills Road

Source: The London Metropolitan Archives DA9020-00 Ref:





Buckhurst Hill – EssexA. Barrage Balloon Depot



Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: ECD Architects

Project: Whitehills Road

Ref: **DA9020-00**

Source: Nigel J. Clarke, "Adolf Hitler's Home Counties Holiday Snaps"

K1

Night Bombing up to 7th October 1940



Night Bombing $\,$ - 7^{th} October 1940 to 6^{th} July 1941





Essex Road, Hoddesdon, Hertfordshire. EN11 0EX



ECD Architects Client:


Approximate site boundary

Project: Whitehills Road


DA9020-00 Source: The National Archives, Kew

K2

21st - 28th October 1940



17th - 22nd April 1944



Recorded HE bomb strike

Recorded incendiary bomb shower

Colour refers to day of the week.

Recorded UXB strike

Recorded oil bomb strike




ECD Architects Client:

Approximate site boundary



Project: Whitehills Road

DA9020-00 Source: The National Archives, Kew





V-1 flying bomb



Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020

Client: **ECD Architects** Approximate site boundary

Project: Whitehills Road

Ref: DA9020-00 Source: The National Archives, Kew

M1

16/7/40

On this date, during a short "yellow" period from 22.15 hours to 22.48 hours bombs were dropped between 22.00 and 23.00 in two Local Authorities areas. The first report from DAGENHAM was closely followed by one from CHIGWELL. In all, five bombs were apparent from the one machine.

DAGENHAM received one which severely damaged 6 houses and slightly damaged 54 in the BEACONTREE area and caused six casualties one seriously and five slightly injured.

CHIGWELL has two bombs close together in Loughton and one in forest land which was not located for some time. The Loughton bombs demolished one house and severely damaged six others and caused 6 casualties of which 2 were fatal. One of the dead was a member of the N.F.S. who attempted to enter a shelter when he heard the bomb coming, but he was not quick enough and a fragment struck him.

These were the first casualties in Group.

31/8/40.

WARSTEAD & WOODFORD: Some damage was done to surrounding houses when a British plane crashed in the Eagle Lane area.

CHICMELL: Several U.X. Cannon shells were reported for

15/16/9/40

CHIGWELL had 6 H.E.'s. between 14.00 and 15.00 in open ground which caused slight damage to property but there were no casualties.

18th/ Only three minutes elapsed between the clearing of the last 19/9/40.evening warning and the "alert" which preceded the intermittent bombing which was becoming a regular nightly feature.

The "Red" period commenced at 20.55 on the 18th and was cleared at 05.29 on the 19th. a total of 9 hours, 45 minutes. Bombing was with H.E. including personute mines and both magnesium and crude oil incendiaries.

BARKING: A parachute mine at 21.00 in the Beacontree Estate resulted in widespread devastation and caused the Boroughs total casualties for the night, 7 persons killed and 2 seriously injured. A few incendiaries of the 1 kilo type failed to cause any fires.

CHIGWELL: A large number of H.E. and I.B.'s. were dropped between 21.15 and 05.30 hours, fortunately mostly on open spaces but damage was sustained in the Chigwell area. A water main and a sewer were damaged. The I.B's., were rapidly dealt with and the numerous fires never got out of control.

Casualties were 4 killed, 3 seriously and 2 slightly injured.

1ST LINE DEFENCE

Client: **ECD Architects**

Project: Whitehills Road

Ref: **DA9020-00** Source: Essex Record Office

Unit 3, Maple Park Essex Road, Hoddesdon, Hertfordshire. EN11 0EX Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020

M2

11/12/10/40.

CHIGWELL: In the night of raiding from 19.25 to 05.00 hours, two high explosives fell at 20.00 hours in the fields in the Chigwell area, causing no damage or casualties.

17/18/10.

The "purple" message was received at 18.44hrs., followed at 18.51 by the "red" "White" was received at 06.46 , a period of eleven hours and fifty-five minutes under the alert.

At BARKING, water mains were damaged at Ripple Rpad, near the "Thatched House" at 19.20hrs. There was no other material damage, and no casualties. The missiles were HE and IB.

CHIGWELL. HEs and IBs. fell at Fence Piece Road, Chigwell, Manor Road and Borders Lane, Loughton, causing damage to houses and necessitating the closing of Manor Road.

Epping New Road was partly closed as the result of the explosion of a paramine within fifty feet of the road at a spot three quarters of a mile south of the Wake Arms. Broadstrood Lodge, in the forest, was slightly damaged by the explosion. No one was injured in the Chigwell area.

20/21/40/40.

A rather large number of HEs rained down on the Chigwell Urban District area 23.30 - 01.00. Although no fewer than 43 bombs descended, no more than three casualties were no bedly injured as to necessitate removal to hospital. Damage was varied, and included a school, houses, gas and water mains, telephone wires and the railway line near Chigwell LNER Station.

The yellow at 18.18 hrs. was followed by the purple at 18.21. 26/27/10/40. Twelve minutes later the sirens sounded the alert at 18.33; Scattered raiding took place during the long alert period, which lasted until 07.04 hrs.

> BARKING. Only one HE fell at Berking, at 22.45; unluckily, the incident occurred on the LMS railway 300 yards east of Upney Station, and resulted in both tracks being put out of action some IBs fell to the east of Jenkins Lane, but no damage was done.

There were no essualties in this local authority.

CHIGWELL. Military buildings were slightly damaged when six His and three oil bombs fell at 20.00 in the vicinity of Rectory Lane and Borders Lane, Loughton. There were no casualties.

At DAGENHAM, Lymington Road was blocked by HM at 21.45, and the gas main was damaged. No one was hurt.

Site is situated approximately 175m north of Borders Lane.



Unit 3, Maple Park Essex Road, Hoddesdon, Hertfordshire. EN11 0EX Email: info@1stlinedefence.co.uk

Tel: +44 (0)1992 245 020

Client: ECD Architects

Project: Whitehills Road

Source: Essex Record Office DA9020-00 Ref:

M3

19/4/44.

chicwell. Many Hes and IBs and Phibs were dropped. Ime at Trapps Hill/Roding Lane, Chigwell, Hapgood Road, Loughton, Reding Lane, Chigwell. IBs were dropped in several roads in Loughton and Buckhurst Hill, and some Phibs were also found. and Residential property was damaged, and a Methodist Church Hall, Loughton, was demolished. Casualties were 3 killed and 4 slightly injured.

Reports from Chingford Hatch area showed that IBS CHINGFORD. were dropped, and an HE fell at the Sewage Works, S. Chingford. Damage was caused to property and there was 1 serious casualty.

An HE and an UXB fell in field N. and NE. of AA camp DAGENHAM. Whalebone Lane, fortunately causing no damage or casualties. An exploded AA shell caused slight damage to buildings of River ent, Chequers Lane. PhIBs fell at many points, and a 1000/2 Plant, Chequers Lane. container was found. Casualties were 10 slightly injured, including 2 C.D.

A HE fell on Robertson and Woodcocks Sweet Factory Catherine Road. In addition to this factory, shops and houses were extensively damaged. Shaftsbury School severely damaged, and Rest Centre out of action. 2 AA shells which also fell in the

The bomb strikes references at Trapps Hill are understood to have fallen in the immediate site area.



Unit 3, Maple Park Essex Road, Hoddesdon, Hertfordshire. EN11 0EX Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: ECD Architects

Project: Whitehills Road

Source: Essex Record Office DA9020-00 Ref:






Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: **ECD Architects**

Approximate site boundary

Project: Whitehills Road

Ref: DA9020-00 Source: National Monuments Record Office (Historic England)







Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: ECD Architects

Approximate site boundary

A

Project: Whitehills Road

Ref: **DA9020-00** Source: National Monuments Record Office (Historic England)


Examples of Anti-Aircraft Projectiles

3.7 Inch QF Anti-Aircraft Projectile

	-
Projectile Weight	28lb (12.6 kg)
Explosive Weight	2.52lbs
Fuze Type	Mechanical Time Fuze
Dimensions	3.7in x 14.7in (94mm x 360mm)
Rate of Fire	10 to 20 rounds per minute
Use	The 3.7in AA Mks 1-3 were the standard Heavy Anti-Aircraft guns of the British Army.
Ceiling	30,000ft to 59,000ft








40mm Bofors Projectile

Projectile Weight	1.96lb (0.86kg)
Explosive Weight	300g (0.6lb)
Fuze Type	Impact Fuze
Rate of Fire	120 rounds per minute
Projectile Dimensions	40 x 180mm
Ceiling	23,000ft (7000m)
Remarks	Light quick fire high explosive anti- aircraft projectile. Each projectile fitted with small tracer element. If no target hit, shell would explode when tracer burnt out. Designed to engage aircraft flying below 2,000ft








3in Unrotated Projectile (UP) Anti-Aircraft Rocket ("Z" Battery)

Explosive Weight	0.96kg (2.13lb)
Filling	High Explosive – TNT. Fitted with aerial burst fuzing
Dimensions of projectile	236 x 83mm (9.29 x 3.25in)
Remarks	As a short range rocket-firing anti- aircraft weapon developed for the Royal Navy. It was used extensively by British ships during the early days of World War II. The UP was also used in ground-based single and 128-round launchers known as Z Batteries. Shell consists of a steel cylinder reduced in diameter at the base and threaded externally to screw into the shell ring of the rocket motor.

3.4kg (7.6lb)

HE Projectile Weight







Unit 3, Mapie Park Essex Road, Hoddesdon, Hertfordshire. EN11 0EX Email: info@1stlinedefence.co.uk Tel: +44 (0)1992 245 020 Client: ECD Architects

Project: Whitehills Road

Ref: **DA9020-00** Source: Various sources

1ST LINE DEFENCE

Unit 3, Maple Park Essex Road Hoddesdon Hertfordshire EN11 0EX

Tel: 01992 245020

www.1stlinedefence.co.uk

